

# 150W LED Highbay



Part No: HL-HBS15W13C1BUP-4000K



## Product Specifications

Power	150W
LED Type	LG or Philips
LED Qty	228
Color Temp	4000K/5000K
Beam Angle	120° (90° with aluminum reflector)
CRI	>80
Efficiency	>90%
Lumens	140lm/w
Lumens Output	21,179.2
Power Supply	MeanWell
Housing	AL
Operation Temp	-30°C to 50°C (-22°F ~ 122°F)
Life Span	50,000hours duty cycle
Voltage Range	AC100-277V
Frequency Range	50/60Hz
PF	≥0.95
Power Efficiency	≥90%
Warranty	5 Years limited



## Product Dimensions



# 150W LED Highbay

Part No: HL-HBS15W13C1BUP-4000K

## Isolux Diagram





Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

# 150W LED Highbay


Part No: HL-HBS15W13C1BUP-4000K

## Installation Options

### Option 1 : Turn Power Off at the breaker before installing





Ensure the mounting can bear 30kg weight



Attach additional safety cable

### Option 2: Fixed Bracket



## Applications

Widely used in Factory, Workshop, Warehouse, Logistics Center Exhibition Hall, Gymnasium, Shipyard, Mining, Gas Station, Supermarket etc.

